

强力静音粉碎机 TGP系列 TGP Series Powerful Sound-Proof Granulators

TGP

料斗采用双层结构，减少噪音，使得设备具有良好的安全性及环保性，省电耐用。结构合理，操作方便，可掀式设计，方便维修与保养。全封闭静音设计，机台周围1米范围外噪音在85分贝以下，提供良好工作环境。另外提供强力粉碎机供客户选择。

Double sound isolation for low noise level; optimal structure for easy operation; openable design for easy maintenance. Fully hermetic sound-proof design provides excellent working environment result in noise level below 85db under the condition which measures it within one meter away from the machines. In addition, powerful granulators are available for customers' selection.



● 特点 Features

- Noise level below 85db
- Fully hermetic & silent design , the noise level is below 85db around 1 meter distance away from machines , also avoid dust contamination simultaneously .
- The material storage tank is made of stainless steel for easy cleaning , stainless steel suction spout is also available for option .
- Motor overload protection device , emergency safety switch device .
- To be equipped with electrical phase controller , avoid any damage from motor reverse .
- To install power isolator , easy maintenance & safety operation .
- This series can be used beside - the - press and collect all rejected parts to granulate together .
- Unique design with inside heat dispersion system , expel heat generated from electrical cabinet to prolong parts ' service life even under the fully hermetic machine .
- Movable stainless feeding hopper and handle switch with optimal design are operation conveniently .

Feature and scope of the product does not guarantee the product attributes,only for reference.Our scope of delivery and services provided are based solely on the terms of delivery and services provided are based solely on the terms of the contract.Technical data and illustration are only for reference .We reserve the rights of changing.

TSD-2021-12

广东拓斯达科技股份有限公司
GUANGDONG TOPSTAR TECHNOLOGY CO.,LTD.

2

ADD : No.2 Chuangxin Road, Datanglang, Dalingshan Town, Dongguan City,
Guangdong Province.

/TEL 0769-8305 0999 /FAX 0769-8584 5562

Domestic Service Hotline **400-096-8005**

